

CERTIFICATE OF ANALYSIS

PRODUCT: Cocoa Powder

CODE:

BATCH NUMBER: A249K036

BATCH SIZE: 12 X 25 Kg = 300 Kg

DATE OF MANUFACTURE: 28/09/2024

BEST BEFORE DATE: **30/03/2027**

CUSTOMER PO: 20250526PO1

Analytical Data:

Attribute	Product Specification	Test Result
Physical Characteristic		
Colour	Meet Standard	Meet Standard
Fat Content (%)	10.0 – 12.0	11.31
pH	7.2 – 7.6	7.38
Moisture (%)	5.0 Max	2.81
Fineness (%)	99.5 – 100.00	99.53
Shell Content (%)	1.75 Max	1.75 Max
Microbiological Characteristic		
Total Plate Count per Gram	5,000 Max	<100
Yeast per Gram	50 Max	<10
Mold per Gram	50 Max	<10
Enterobacteriaceae in 1g	Not Detected	Not Detected
Coliform in 1g	Not Detected	Not Detected
Escherichia Coli in 1g	Not Detected	Not Detected
Salmonella in 375g	Not Detected	Not Detected

This document certifies that the quality of this product conforms to our Product Specification.

Certified By: (Technical Manager)

Date: 26/05/2025

Document is electronically generated so no signature is required.

This Certificate of Analysis does not relieve the purchaser from undertaking their own test in order to ensure the suitability of this product for its application and to comply with all relevant legal requirements for any goods into which this product is incorporated.