

CERTIFICATE OF ANALYSIS

TYPE : MALT EXTRACT POWDER
DATE OF MANUFACTURE: 7/12/2023
BEST BEFORE DATE : 7/06/2025

PARAMETER	SPECIFICATION	TEST RESULT
COLOUR (deg EBC)	1700° - 2500° EBC	2487° EBC
pH (5% w/w solution)	5.0 - 6.0	5.1
PROTEIN (N x 6.25 w/w)	5.0% - 7.0%	5.4%
MOISTURE (w/w)	MAX 5.00%	2.60%
STANDARD PLATE COUNT (cfu/g)	< 7500/g	< 7500/g
MOULDS (cfu/g)	<100/g	<100/g
YEASTS (cfu/g)	<100/g	<100/g
E COLI / COLIFORMS (cfu/g)	<3/g	<3/g
SALMONELLA (per 25g)	ND/25g	ND/25g
ORGANOLYPTIC EVALUATION	✓	Compares to standard

Best used within 18 months from the date of manufacture. Store under cool, dry conditions away from direct sunlight.

SIGNED (QUALITY CONTROL) :

DATE :

8/01/2024

WE BELIEVE THE INFORMATION IN THIS BULLETIN TO BE RELIABLE BUT IT IS GIVEN WITHOUT
GUARANTEE AND NO PATENT LIABILITY IS ASSUMED.