

## CERTIFICATE OF ANALYSIS

TYPE : MALT EXTRACT POWDER  
DATE OF MANUFACTURE: 11/04/2024  
BEST BEFORE DATE : 11/10/2025

PARAMETER	SPECIFICATION	TEST RESULT
COLOUR ( deg EBC )	1700° - 2500° EBC	2063° EBC
pH ( 5% w/w solution )	5.0 - 6.0	5.1
PROTEIN ( N x 6.25 w/w )	5.0% - 7.0%	6.7%
MOISTURE ( w/w )	MAX 5.00%	2.21%
STANDARD PLATE COUNT ( cfu/g )	< 7500/g	< 7500/g
MOULDS ( cfu/g )	<10/g	<10/g
YEASTS ( cfu/g )	<10/g	<10/g
E COLI / COLIFORMS ( cfu/g )	<3/g	<3/g
SALMONELLA ( per 25g )	ND/25g	ND/25g
ORGANOLYPTIC EVALUATION	✓	Compares to standard

Best used within 18 months from the date of manufacture. Store under cool, dry conditions away from direct sunlight.

SIGNED ( QUALITY CONTROL ) :

\_\_\_\_\_

DATE :

2/10/2024

\_\_\_\_\_

WE BELIEVE THE INFORMATION IN THIS BULLETIN TO BE RELIABLE BUT IT IS GIVEN WITHOUT  
GUARANTEE AND NO PATENT LIABILITY IS ASSUMED.