

CERTIFICATE OF ANALYSIS

TYPE : MALT EXTRACT POWDER
DATE OF MANUFACTURE: 20/03/2025
BEST BEFORE DATE : 20/09/2026

PARAMETER	SPECIFICATION	TEST RESULT
COLOUR (deg EBC)	1700° - 2500° EBC	1930° EBC
pH (5% w/w solution)	4.8 - 5.8	4.9
PROTEIN (N x 6.25 w/w)	5.0% - 7.0%	7.0%
MOISTURE (w/w)	MAX 5.00%	2.52%
STANDARD PLATE COUNT (cfu/g)	< 7500/g	< 7500/g
MOULDS (cfu/g)	<10/g	<10/g
YEASTS (cfu/g)	<10/g	<10/g
E COLI / COLIFORMS (cfu/g)	<3/g	<3/g
SALMONELLA (per 25g)	ND/25g	ND/25g
ORGANOLYPTIC EVALUATION	✓	Compares to standard

Best used within 18 months from the date of manufacture. Store under cool, dry conditions away from direct sunlight.

SIGNED (QUALITY CONTROL) :

DATE :

10/04/2025

WE BELIEVE THE INFORMATION IN THIS BULLETIN TO BE RELIABLE BUT IT IS GIVEN WITHOUT
GUARANTEE AND NO PATENT LIABILITY IS ASSUMED.