

CERTIFICATE OF ANALYSIS

TYPE : MALT EXTRACT POWDER
DATE OF MANUFACTURE: 5/02/2026
BEST BEFORE DATE : 5/08/2027

PARAMETER	SPECIFICATION	TEST RESULT
COLOUR (deg EBC)	1700° - 2500° EBC	2385° EBC
pH (5% w/w solution)	4.8 - 5.8	5.2
PROTEIN (N x 6.25 w/w)	5.0% - 7.0%	7.0%
MOISTURE (w/w)	MAX 5.00%	2.65%
STANDARD PLATE COUNT (cfu/g)	< 7500/g	< 7500/g
MOULDS (cfu/g)	<10/g	<10/g
YEASTS (cfu/g)	<10/g	<10/g
E COLI / COLIFORMS (cfu/g)	<3/g	<3/g
SALMONELLA (per 25g)	ND/25g	ND/25g
ORGANOLYPTIC EVALUATION	✓	Compares to standard

Best used within 18 months from the date of manufacture. Store under cool, dry conditions away from direct sunlight.

SIGNED (QUALITY CONTROL) :

DATE :

11/02/2026

WE BELIEVE THE INFORMATION IN THIS BULLETIN TO BE RELIABLE BUT IT IS GIVEN WITHOUT
GUARANTEE AND NO PATENT LIABILITY IS ASSUMED.