



=====
CERTIFICATE OF ANALYSIS
=====

Delivery item/date
833292967
17.02.2025

Day Code: 343BA Manufacturing Date 08.12.2024
Best Before Date: December 2026
Pallets : 29,

Characteristic	Value	Test Method
Expiration date, shelf life	07.12.2026	
Protein (As Is) %	81.19	KJELDAHL
Protein Dry Basis (%)	85.75	CALCULATION
Moisture %	5.32	OVEN
Fat (%)	1.40	MOJONNIER
Ash (%)	7.56	FURNACE
** Lactose (%)	4.2000	HPAEC-PAD
Bulk Density (g/ml)	0.32	ISO 8967:2005
pH	6.89	TIRLAN METHOD PH
Scorched Particles	A	ADPI
Sediment Disc	All	ADPI
Std Plate Count (cfu/g)	600	ISO 4833-1:2013
Thermophilic Plate Cnt (cfu/g)	160	ISO 4833-1:2013 (MOD)
* Coliforms (cfu/g)	< 1	ISO 4832:2006
E-coli (qty in lg)	< 1	ISO 4832:2006
* Enterobacteriaceae (cfu/g)	< 1	ISO 21528-2:2017
Yeasts & Moulds (cfu/g)	< 10	ISO 6611:2004
S.aureus Coagulase Pos (cfu/g)	< 1	ISO 6888-2:2021(MODIFIED)
** Salmonella / 375g	Not detected	ISO 6579-1:2017 ADM 2020
** Listeria in 25g	Not detected	ISO 11290-1:2017